

obliquus, cinereus, alternans, Alopius trigutatus, Liophloeus nubilis, Molytes glabratus, Phytonomus punctatus, variabilis, Phyllobius pemonae, oblongus, sinuatus, Peritelus leucogrammus, Otiorrhynchus mastix, pulverulentus var., periscelis, bisulcatus, planatus, ligustici, Lixus angustatus, pollinosus, Larinus sturnus, Eriirrhinus variegatus, villosulus, festucae, vorax, Balaninus nucum, turbatus, crux, Tychius tomentosus, sparsutus, quinque punctatus, Baridius picicornis (abrotani), Cryptorrhynchus lapathi, Coeliodes subrufus, Acalles denticollis, Ceuthorrhynchus quadridens, sulcicollis, Poophagus sisymbrii, Cionus scrophulariae, thapsi, Sphaenophorus piceus, Cossonus linearis, Rhyncolus chloropus, Hylesinus fraxini, vittatus, Scolytus pruni, rugulosus, Crypturgus pusillus, Bostrychus retusus, typographus, Platypus cylindrus, Spondylis buprestoides, Ergates faber, Prionus coriarius, Cerambyx heros, miles, cerdo, Rosalia alpina, Aromia moschata, Callidium clavipes, violaceum, sanguineum, rufipes, variabile, Hylotrupes bajulus, Tetrogaster luridum, Asemum striatum, Criocephalus rusticus, Clytus detritus, floralis, verbasci, arcuatus, trifasciatus, Dercadion morio, fulvum, rufipes, lineatum, Scopoli, Morimus tristis, Lamia textor, Monochamus sartor, sutor, Acanthoderes varius, Astynomus aedilis, Liopus nebulosus, Pogonochaerus pilosus, Anaethetis testacea, Saperda populnea, punctata, tremulea, Oboerea oculata, erythrocephala, Agapanthia angusticollis, Phytoecia rufimana, virens, Necydalis minor, Rhamnusium salicis, Rhagium mordax, inquisitor, indagator, Toxotus cursor, meridianus, dispar, Pachyta 6-maculata, collaris, Strangalia armata, attenuata, nigra, 7-punctata, Anoplodera rufipes, Grammoptera laevis, Donacia sagittariae, discolor, thalassina, impressa, nigra, Lema merdiger, melanopus, asparagi, Labidostomis tridentata, longimana, Lochmaea longipes, Clythra quadripunctata, leviuscula, Gynandrophthalma cyanea, Coptocephala quadrimaculata, Chrysopus praeciosus, Cryptocephalus coloratus, lobatus, marginatus, variabilis, quadriguttatus, bipunctatus, lineatus, Timarcha laevigatus, Lina collaris, cuprea, populi, tremulae, Entomoscelis dorsalis, Goniocenta 6-punctata, rufipes, Gastrophysa polygoni, raphani, Plagiocera armoraciae, Chrysomela staphylea, senecionis, haemoptera, sanguinolenta, limbata, marginata, fastuosa, Adimonia tanacetii, rustica, Phyllobrotica quadrimaculata, Luperus circumfusus, Haltica ferruginea, oleracea, nemorum, rufipes, Psylliodes affinis, Cassida vibex, margaritacea, nebulosa, Triplax rufipes, Adonia mutabilis, Harmonia impustulata, Coccinella 7-punctata, bipunctata, 5-punctata, Calvia 14-punctata, 10-guttata, Halyzia 17-guttata, propylea, 14-punctata, Chilocorus bipustulatus, Coccidula scutellata, Lithophilus connatus, Endomichus coccineus.

e) *Poloskák:*

Pentatoma rufipes, baccarum, nigricornis, Lygaeus equestri saxatilis, militaris, familiaris, Pyrrhocoris apterus, Cimex lectularius, Capsus trifasciatus, Hydrometra paludum, Nepa cinerea, Ranatra linearis, Naucoris cimicoides, Aphis rosae, Schizoneura lanigera.

f) *Rözcés szárnyú rovarok:*

Myrmeleon formicarius, Chrysopa vulgaris, pera, Panorpa communis, Sialis lustaria, Phryganea grandis, Limnophilus rhombicus,

g) *Szitakötőfélék:*

Agrion virgo, pulla, Libellula quadrimaculata, depressa, Aeschna grandis, Ephemera vulgata, lactea, longicauda, Perlus viridis.

h) *Egyenes szárnyúak:*

Blatta Germanica, Periplaneta orientalis, Forficula auricularis, Gryllus domesticus, campetris, Oecanthus pellucens, Gryllotalpa vulgaris, Locusta viridissima, Decticus verrucivorus.

i) *Serlefarjú rovarok:*

Lepisma saccharina, Smynturus luteus.

ARACHNOIDEA.

Az itt felsorolt pókok saját gyűjtősemet képezik:

Chelifer caneroides, Phalangium opilio.

Leptorchestes berolinensis, Heliophanus auratus, Epiblemum zebraneum, Marptusa muscosa, Dendryphantès rudis, nidicolens, Ergane arcuata, Lycosa lugubris, paludicola, Tarentula trabalis, solitaria, Trochosa terricola, Pisaura mirabilis, Thomisus albus, tigrinus, Pistius truncatus, Misumena vatia, tricuspidata, Synaema globosum, Xysticus bifasciatus, lateralis, striatipes, Oxyptila praticola, Philodromus dispar, Collinus, aureolus et subsp. marmoratus Kulc. Tibellus parallelus, Cyclosa conica, Epeira angulata, omoeda, diademata, marmorea (forma principalis), pyramidata, quadrata, cucurbitina, Redii, scelopotaria, patagiata, adianta, diodia, Meta segmentata, Tetragnatha obtusa, Hyptiotes paraduxus, Dictyna viri-

Pókok.

41

dissima, Amaurobius claustrarius, ferox, fenestralis, Theridium lineatum, sisyphium, formosum, ovatum, Teutana grossa, Asagena phalerata, Drapetisca socialis, Linyphia montana, triangularis, clathrata, Lepthyphantes leprosus, tenuis, Henricae, Erigone dentipalpis, Brachycentrum elongatum.

Tegenaria domestica, Clubione holoserica, Agalena labyrinthica, Salticus scenicus (?).
Bdella longicornis, Ixodes ricinus, Acarus siro. Sarcoptes scabiei, canis, felis.

Százlábúak.

SZÁZLÁBUAK.

Lithobius forficatus, Geophilus subterraneus, Julus sabulosus.

Rákok.

RÁKOK.

Astacus fluviatilis, Oniscus murarius.

Férgek.

FÉRGEK.

Lumbricus terrestris, Hirudo officinalis, Aulacostomum nigrescens.
Ascaris lumbricioides, marginata.
Trania solium, plicata.

